

# ALPHA ELITE™

POWERED BY UNICATION

DISTRIBUTED BY USALERT, LLC

“a continuation of product and service excellence”

## VHF and 900 FLEX



The all new *Alpha ELITE* pager provides the feature rich messaging capabilities to meet your daily business needs. These easy to use features include multiple message slots, message management, mail drop, zoom and all viewable on a electroluminescent display.

The *Alpha ELITE* is synthesized, fully programmable and available in VHF AND 900 MHz both supporting FLEX coding technology.

SYNTHESIZED

- 4 line display or Zoom to 2 line for a larger view ....
- Battery capacity gauge
- UL and CE certifications
- and much more .....

USAlert, LLC  
1809 S. Powerline Rd., Suite 101  
Deerfield Beach, Florida, 33442  
Phone: 561 394 9969

# ALPHA ELITE™

POWERED BY UNICATION

DISTRIBUTED BY USALERT, LLC™

## Alpha ELITE Features:

- 32K message memory
- 2025 characters / message
- 5025 characters / mail drop
- Message preview
- Auto EL on
- Message time stamp and message lock
- 8 individual cap codes
- Duplicate message detection
- Notebook entries
- Message retention when off or changing the battery
- Delete individual messages or delete ALL
- 4 lines of text at 80 characters per screen
- Zoom to 2 line view
- Displays time and date
- Electroluminescent display
- Selectable vibrate, various tone alert selections or silent operation
- Reminder alert
- Graphic battery level indication



## Alpha ELITE Specifications:

Sensitivity	8 uV/m (1600 BPS) 11 uV/m (3200 BPS) 13.5 uV/m (6400 BPS)
FLEX	1600 Baud, 3200 Baud and 6400 Baud
Channel spacing	25 KHz
Adjacent channel	50 dB
Image rejection	50 dB
Spurious rejection	40 dB
IM	40 dB
Alert SPL	75 dB @ 30 cm
Operating temperature	-5 C to 40 C
Battery	1.5 Vdc AA
Dimensions	81mm (w) / 55mm (h) / 18.5mm (d)
UL rating	Class 1, Division II, Groups A, B, C and D

FEATURES AND SPECIFICATIONS

